

### **FEATURES**

- Impedance of 75
  ohms
- Nickel plated body
- Stock number <u>7902805</u> is a BNC plug to RCA jack adapter
- Stock number <u>7902809</u> is an RCA plug to BNC jack adapter
- Operating frequency of 250 MHz

# Straight 75Ω RF Adapter BNC Plug to RCA Socket 250MHz

RS Stock No.: 790-2805



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.



#### **Product Description**

From RS PRO comes a range of high quality and great value coaxial adapters, These coaxial type adapters have been designed to provide an effective method of connecting coaxial cable assemblies through a panel mounting connection. Manufactured out of industry standard components, these connectors are most commonly used for connecting radio and television broadcast equipment.

#### **General Specifications**

Adaptor Type	RNC Diug to PCA Sockat
Adapter Type	BNC Plug to RCA Socket
Adapter Type A	BNC
Adapter Type B	RCA
Gender A	Male
Gender B	Female
Body Orientation	Straight
Contact Plating	Nickel
Body Plating	Nickel
Contact Material	Brass
Insulation Material	POM
Body Material	Brass
Shell Material	Brass
Washer Material	Brass
Centre contact Material	Brass
Shell Finish	Nickel 100µ" min
Body Finish	Nickel 100µ" min
Washer Finish	Nickel
Centre Contact Finish	Nickel 50µ" min
Application	Test and measurement, Communication systems, GPS equipment, Antennas, Video equipment



Electrical Specifications	
Impedance	75 Ω
Operating Frequency	250GHz
Mechanical Specifications	26 mm
Approvals	



## Dimensions: (mm)





