



## **Product Description:**

Product name: MICRO USB 7.2 four-pin SMT female socket

Product size:  $7.2 \times 5.0 \times 7.4$ mm

Product model: 101SB1241B01-467

Product shell: C=copper shell, I=iron shell, S=stainless steel

Product rubber core: W=white, B=black, N=other

Terminal plating: G1=1U, G3=3U, G15=15U, G30=30U

Brand: Alliant

## **Description of technical parameters:**

Operating temperature range: -20-70°C; Withstand voltage: AC500V(50Hz)/min

Rated load: DC 30V 0.5A-2.0A; action force: 3~20N

Contact resistance:  $\leq 0.05\Omega$ ; life: 10,000 times

Insulation resistance:  $\geq 100 M\Omega$ 

## **Product application range:**

1. Audio and video products: MP3, MP4, DVD. Audio;

- 2. Digital products: digital cameras, digital video cameras, etc.;
- 3. Remote control: remote control for vehicles, rolling doors, and home anti-theft products;
- 4. Communication products: mobile phones, car phones, telephones, building equipment, PDAs, etc.;
- 5. Household appliances: TVs, electric fans, electronic body scales, electronic fat scales, electronic kitchen scales, etc.;
- 6. Security products: video walkie-talkies, monitors, etc.;
- 7. Toys: electronic toys, etc.;
- 8. Computer products: notebooks, tablets, etc.;
- 9. Fitness equipment: running machine, massage chair, etc.;
- 10. Medical equipment: sphygmomanometer, thermometer, hospital call system, etc.