

Longlife Max Power

Maximum power for
more independence

Many digital devices such as a digital camera or a gaming controller need precise energy in changing requirements. VARTA Longlife Max Power gives you the best possible precision with flexible levels of energy. So you too remain flexible in everything you do.





VARTA Longlife Max Power batteries are available in different sizes so that the maximum performance can be reached for every type of application.


Best AAA Alkaline battery performance in Europe**



Logistical Data

Type	Voltage (V)	Electro-chemical	Width (mm)	Height (mm)	Depth (mm)	Diameter (mm)	Weight (g)	IEC	Others
4703	1.5	Alkaline	-	44.5	-	10.5	11.5	LR03	Micro, AAA, MN2400, Ministilo
4706	1.5	Alkaline	-	50.5	-	14.5	23.8	LR6	Mignon, AA, MN1500, Stilo
4714	1.5	Alkaline	-	50.0	-	26.2	65.8	LR14	Baby, C, MN1400, ½ Torcia
4720	1.5	Alkaline	-	61.5	-	34.2	140.4	LR20	Mono, D, MN1300, Torcia
4722	9.0	Alkaline	26.5	48.5	17.5	-	47.0	6LR61	E-Block, PP3, MN1604, Transistor

For digital devices with changing energy requirements



*AA, AAA, C and D batteries are produced in Germany.

**VARTA AAA/Micro/LR03 alkaline batteries, Longlife, Longlife Power, Longlife Max Power Performance in average according to IEC norm 60086-2 Ed. 14, 2021-04 based on internal testing vs. key competitors in Europe, in the respective quality grade. Performance may vary by device.

Longlife Max Power



Type	4703	4703	4703	4703
Others	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo
Order-No. / consumer unit	04703 101 412	04703 101 404	04703 101 446	04703 101 436
Batteries / consumer unit	2	4	6	4+2
Width (mm) Blister	80	80	80	80
Height (mm) Blister	120	120	120	120
Depth (mm) Blister	12	12	12	12
Weight (g) Blister	32	55	73	73
Minimum pieces / shipment unit	10	10	10	10
Innecarton	10	10	10	10
Mastercarton	50	50	50	50
Voltage (V)	1.5	1.5	1.5	1.5
Electrochemical System	Alkaline	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	—	—
Height (mm) Battery	44.5	44.5	44.5	44.5
Depth (mm) Battery	—	—	—	—
Diameter (mm) Battery	10.5	10.5	10.5	10.5
Weight (g) Battery	11.5	11.5	11.5	11.5
IEC	LR03	LR03	LR03	LR03
Details	Page 16	Page 16	Page 16	Page 16
EAN/GTIN / consumer unit	 4 1008496 114733	 4 1008496 104734	 4 1008496 038169	 4 1008496 1675838



4703	4703	4703
AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo	AAA, Micro, MN2400, Ministilo
04703 101 418	04703 101 428	04703 101 410
8	5+3	8+2
167	167	167
120	120	120
12	12	12
110	102	128
20	20	20
—	—	—
20	20	20
1.5	1.5	1.5
Alkaline	Alkaline	Alkaline
—	—	—
44.5	44.5	44.5
—	—	—
10.5	10.5	10.5
11.5	11.5	11.5
LR03	LR03	LR03
Page 16	Page 16	Page 16

PRIMARY BATTERIES

RECHARGEABLE

SPECIAL BATTERIES

LIGHTS

PORTABLE POWER

PRODUCT DISPLAY SYSTEMS

Longlife Max Power



Type	4706	4706	4706	4706	4706
Others	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo
Order-No. / consumer unit	04706 101 412	04706 101 404	04706 101 446	04706 101 436	04706 101 418
Batteries / consumer unit	2	4	6	4+2	8
Width (mm) Blister	80	80	80	80	167
Height (mm) Blister	120	120	120	120	120
Depth (mm) Blister	16	16	28	28	16
Weight (g) Blister	57	104	148	148	209
Minimum pieces / shipment unit	20	20	10	10	20
Innecarton	20	20	10	10	—
Mastercarton	100	100	50	50	20
Voltage (V)	1.5	1.5	1.5	1.5	1.5
Electrochemical System	Alkaline	Alkaline	Alkaline	Alkaline	Alkaline
Width (mm) Battery	—	—	—	—	—
Height (mm) Battery	50.5	50.5	50.5	50.5	50.5
Depth (mm) Battery	—	—	—	—	—
Diameter (mm) Battery	14.5	14.5	14.5	14.5	14.5
Weight (g) Battery	23.8	23.8	23.8	23.8	23.8
IEC	LR6	LR6	LR6	LR6	LR6
Details	Page 16	Page 16	Page 16	Page 16	Page 16
EAN/GTIN/ consumer unit					



4706	4706	4714	4720	4722
AA, Mignon, MN1500, Stilo	AA, Mignon, MN1500, Stilo	C, Baby, MN1400, 1/2 Torcia	D, Mono, MN1300, Torcia	9V, E-Block, PP3, MN1604, Transistor
04706 101 428	04706 101 410	04714 101 402	04720 101 402	04722 101 401
5+3	8+2	2	2	1
167	167	80	80	80
120	120	120	120	120
16	16	27	35	19
201	257	137	282	51
20	20	10	10	10
—	—	10	10	10
20	20	100	50	50
1.5	1.5	1.5	1.5	9.0
Alkaline	Alkaline	Alkaline	Alkaline	Alkaline
—	—	—	—	26.5
50.5	50.5	50.0	61.5	48.5
—	—	—	—	17.5
14.5	14.5	26.2	34.2	—
23.8	23.8	65.8	140.4	47.0
LR6	LR6	LR14	LR20	6LR61
Page 16	Page 16	Page 16	Page 16	Page 16

PRIMARY BATTERIES

RECHARGEABLE

SPECIAL BATTERIES

LIGHTS

PORTABLE POWER

PRODUCT DISPLAY SYSTEMS