


Performance Specifications (性能)

| | |
|-----------------------------------|---|
| Short-time overload 短时间过负荷 | ±(0.5%+0.0005Ω) Test method 测试方法: Runing under 5 times of rated power in 5 seconds at room temperature. 5 倍额定功率、室温, 持续工作 5 秒 Except for special specifications (see datasheet) (特殊规格除外, 具体详见产品规格书) |
| Soldering heat 耐焊接热 | ±(0.5%+0.0005Ω) |
| Solderability 可焊性 | Coverage must be over 95%. |
| Thermal Shock 热冲击 | ±(0.5%+0.0005Ω) |
| Load life 负载寿命 | ± (1%+0.0005Ω) |

Ordering Procedure (Example:LR12 2W 1% 5mΩ T/R-4000)

订购方式 (例如: LR12 2W 1% 5mΩ T/R-4000)



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Royalohm:

[LR121WF200MT4E](#) [LR121WF300NT4E](#) [LR121WF500MT4E](#) [LR122WF100LT4E](#) [LR122WF100MT4E](#)
[LR122WF100NT4E](#) [LR122WF110NT4E](#) [LR122WF120MT4E](#) [LR122WF150MT4E](#) [LR122WF150NT4E](#)
[LR122WF160MT4E](#) [LR122WF180MT4E](#) [LR122WF200MT4E](#) [LR122WF200NT4E](#) [LR122WF220MT4E](#)
[LR122WF250MT4E](#) [LR122WF270MT4E](#) [LR122WF280MT4E](#) [LR122WF300MT4E](#) [LR122WF300NT4E](#)
[LR122WF330MT4E](#) [LR122WF350MT4E](#) [LR122WF350NT4E](#) [LR122WF400MT4E](#) [LR122WF400NT4E](#)
[LR122WF430MT4E](#) [LR122WF450MT4E](#) [LR122WF470MT4E](#) [LR122WF500MT4E](#) [LR122WF500NT4E](#)
[LR122WF600MT4E](#) [LR122WF600NT4E](#) [LR122WF620MT4E](#) [LR122WF650MT4E](#) [LR122WF680MT4E](#)
[LR122WF700MT4E](#) [LR122WF700NT4E](#) [LR122WF750MT4E](#) [LR122WF800MT4E](#) [LR122WF800NT4E](#)
[LR122WF820MT4E](#) [LR122WF900NT4E](#) [LR122WJ010KT4E](#) [LR122WJ050MT4E](#) [LR123WF100LT4E](#)
[LR123WF100MT4E](#) [LR123WF120MT4E](#) [LR123WF150MT4E](#) [LR123WF160MT4E](#) [LR123WF180MT4E](#)
[LR123WF200MT4E](#) [LR123WF200NT4E](#) [LR123WF220MT4E](#) [LR123WF250MT4E](#) [LR123WF280MT4E](#)
[LR123WF300MT4E](#) [LR123WF330MT4E](#) [LR123WF400MT4E](#) [LR123WF450MT4E](#) [LR123WF470MT4E](#)
[LR123WF500MT4E](#) [LR123WF600MT4E](#) [LR123WF680MT4E](#) [LR123WF700MT4E](#) [LR123WF750MT4E](#)
[LR123WF800MT4E](#) [LR123WF900MT4E](#) [LR123WJ020MT4E](#)