




microSDTM Small Memory Card Connector

ST1- G / T Series

CONNECTOR MB-0195-3 January 2012



RoHS Compliant



Images of Type G

The ST1 Series is a one-piece type connector for microSDTM memory cards. It is a low-profile, high-density, SMT mounted connector which is compatible with the microSDTM card used in a variety of portable devices and standardized by the SDA (\underline{SD} Card \underline{A} ssociation).

Features

- Push-slide, hinge type connector for microSDTM small memory card.
- Available with card insertion detection switch (T type), and without (G type).
- ■Shield feature is secured by 4 ground connection points on hinge cover.
- ■Slim design with 1.4mm height, 15.5mm depth, 11.9mm width.
- ■Lock structure to prevent the cover from opening when dropped.

General Specifications

- ■No. of Contacts: 8 position
- ■Contact Resistance: 100m ohm max.
- ■Dielectric Withstanding Voltage : AC500Vr.m.s. per minute
- ■Operating Temperature:
 - -25 Deg. C to +85 Deg. C
- ■Storage Temperature:
 - -10 Deg. C to +60 Deg. C


- ■Rated Current: 0.5A per pin
- ■Rated Voltage: 10V per pin
- ■Insulation Resistance: 1,000M ohm min.
- ■Lifetime: 10,000 insertions
- ■Temperature Rise: 30 Deg. C rise max.


^{*} microSDTM is a trademark of <u>SD</u> Card <u>A</u>ssociation.

Materials and Finishes

Component	Material / Finish	
Contact	Copper alloy /	
	Contact Area: 0.5µm min. Au plating over Ni	
	Terminal Area: Au flash plating over Ni	
Housing	Synthetic resin / None	
Cover	Stainless steel / None (Terminal Area: same as contact)	


Ordering Information





Part Number	SJ Drawing
ST1W008S4G	SJ109285

Unit: mm



Note: An embossed tape reel contains 2,000 pieces.

Please contact us for details on embossed tape specifications.

Japan Aviation Electronics Industry, Limited

Product Marketing Division

Aobadai Building, 3-1-19, Aobadai, Meguro-ku, Tokyo 153-8539 Phone: +81-3-3780-2787 FAX: +81-3-3780-2946 Applicable board dimensions (for reference)

Notice: Products shown in this brochure are made for the applications listed below. However, if the above-mentioned products are to be used in aerospace devices, marine cable-connection devices, atomic power control systems, medical equipment for life-support systems, or any other specific application requiring extremely high reliability, please contact JAE for further information.

Recommended applications: computers, office machines, measuring devices,

telecommunication devices (terminals, mobile devices), AV devices, household applications, FA devices, etc.

^{*} The specifications in this brochure are subject to change without notice. Please contact JAE for information. JAE PMK Div. Proprietary. Copyright © 2012. Japan Aviation Electronics Industry. Ltd.

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

JAE Electronics:

ST1W008S4GR2000 ST1W008S4TR2000