

Han3A RJ45 PFT HIFF adapter



| Part number | 09 45 515 0024 |
|--------------------|-------------------------------------|
| Specification | Han3A RJ45 PFT HIFF adapter |
| HARTING eCatalogue | https://b2b.harting.com/09455150024 |

Image is for illustration purposes only. Please refer to product description.

Identification

| Category | Connectors |
|---------------|-----------------------|
| Series | RJ45 |
| Element | Adapter |
| Specification | To mount HIFF inserts |

Version

| Size | Han [®] 3 A |
|-----------|----------------------|
| Shielding | Unshielded |

Technical characteristics

| Limiting temperature | -40 +70 °C |
|----------------------|------------|
| Mating cycles | ≥500 |

Material properties

| Material (hood/housing) | Polycarbonate (PC) |
|---|--------------------|
| Colour (hood/housing) | Black |
| Material flammability class acc. to UL 94 | V-0 |
| RoHS | compliant |
| ELV status | compliant |
| China RoHS | е |
| REACH Annex XVII substances | No |
| REACH ANNEX XIV substances | No |



Material properties

|--|

Specifications and approvals

| Approvals | DNV GL |
|-----------|--------|
|-----------|--------|

Commercial data

| Commercial data | |
|--------------------------------|--|
| Packaging size | 1 |
| Net weight | 3.3 g |
| Country of origin | Romania |
| European customs tariff number | 85366990 |
| eCl@ss | 27440292 Connector component (accessories) |

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

HARTING: 09455150024