




You are here: Home > Products > LED Driver > Constant Current LED Driver > Standard products(4-60W)-Flicker > 36W 750mA Constant Current Slim Led Driver



[Inquire Now](#)

## Standard products(4-60W)-Flicker

### 36W 750mA Constant Current Slim Led Driver

Specification      Features

Model: HZD036CXI  
Power: 36W  
THD: <15%  
Efficiency: 86%  
Input voltage: 180-265VAC  
Output voltage: 24-36V/36-48V/72-100V/100-162V  
Output current: 1000mA/750mA/420mA/270mA  
Power Factor: 0.95  
Size: 200\*26\*20mm  
Warranty: 3 -5Years

[Download Data Sheet](#)

## Description

This **36W led driver** power supply **constant current** design, slim appearance, beautiful, using long life electrolytic capacitor, high PF, No-Flicker, stable performance. The parameters of this product are input voltage 180-265VAC, output voltage 24-36V/36-48V/72-100V/100-162V, output current 1000mA/750mA/420mA/270mA, efficiency 86%, can be used in ceiling light, project light, panel light etc.

## Application

[Contact us](#)

Select Language ▼



slim led driver for ceiling light



driver led 36w for panel light



led driver 750ma for project light



36w 750ma led driver for downlight

# Series

**CXN series--Input 85-265V,High PF,Flicker,Non-isolation**

50W-HZD050CXN

**CXI series--Input 85~265V,High PF,Flicker,Isolation**

7W-HZD007CXI-C

9W-HAD009CXI-A

7~12W-HZD012CXI-C

18W-HZD018CXI

20W-HZD020CXI

21W-HAD021CXI-F

21W-HAD021CXI-G

24W-HZD024CXI-C

30W-HAD030CXI

8~30W-HZD030CXI

**36W-HZD036CXI**

36W-HZD036CXI-C

36~48W-HZD048CXI-B

36~48W-HZD048CXI


36~48W-HAD048CXI

60W-HZD060CXI-C

80W-HZD072CXI

## Related Products

Contact us



We are a professional manufacturer in China since 2005

+86 13229150508 OR +86 752-2771789

marketing@hi-zealed.com

Warranty | Customer Support | Shipping | Contact

©2016 Huizhou Hi-zealed Electronic Co.,Ltd. All Rights Reserved.

Contact us